



BASIC MAINTENANCE CHECKLIST

Some things you should do before you ride

- 1** CHECK YOUR TIRE PRESSURE
- 2** CHECK YOUR STEM BOLTS
- 3** CHECK YOUR HEADSET
- 4** CHECK YOUR BOTTOM BRACKET
- 5** CHECK YOUR PEDALS
- 6** CHECK YOUR SEAT
- 7** CHECK YOUR AXLE NUTS
- 8** WRITE DOWN YOUR SERIAL NUMBER
- 9** YOU'RE READY TO RIDE



Recommended tire pressure is shown on the side of the tire. Inflate your tires to the proper pressure before each ride!



Using the proper sized metric allen key, check to see if your stem bolts are tight. If you need to tighten them do so using the pattern above.



To check your headset; turn your front wheel 90° then rock your bike front to back. Your headset should not have any play in it. If there is play, stop into your local shop!



To check your bottom bracket/ crank; grab each crank arm and wiggle from side to side. If there is any play in the arms or the bottom bracket, don't ride and head into the shop!




Grab your pedals and check them for play side to side. A little play is fine, if there is a large amount of play, you may need to replace or adjust your pedals.



Make sure your seat/ seat collar is tight. Using The proper sized allen key tighten your seat collar if needed. If you have a pivotal seat use the slit in the top of the seat to tighten the seat to the post.



Using proper sized socket or wrench, make sure your axle nuts are tight. If you have pegs you will need a socket extension.



Record your serial number. You can find the number on the frame under the crankset.



Go and Ride!

